

BIO-GREEN BICYCLE LUBRICATIONS

1 of 3

Material Safety Data Sheet

Dumonde Design Group Inc.

PRODUCT IDENTIFICATION

PRODUCT NAME: Dumonde Bio Green G Series: G11, G10, G5
MSDS#: Bio 042008
DATE ISSUED: 4/20/08
SUPERSEDES: None
ISSUED BY: Dumonde Design Group, Inc.

SECTION I: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Dumonde Bio-Green Bicycle lubricants.
Product Code: BG1100, BG1000, BG500
Synonyms: Bio Degradable Bicycle Lubrication.

Manufacturer: Dumonde Design Group, Inc.
Address: P.O. Box 3262
Kirkland, Wa. 98083-3262
(425)-806-0948
Distributor: HGNR: (503)-285-2322

SECTION 2: HAZARDS IDENTIFICATION

Volatile ingredients: 2% to 40%
Product is Combustible.

Ingredients: Citrus oils, plant oils with balance other terpene hydrocarbons and oxygenated compounds. Product is a by-product of citrus, plants entirely of natural origin, and to the best of our knowledge and belief contains no artificial flavors, sulfites, nitrites, or pesticide residue exceeding tolerances established by the FDA. Bio Green G11, G10, G5 do NOT contain lead, cadmium, mercury, or hexavalent chromium or come in contact with these chemicals since it is derived from essential oils. G11, G10, G5 do NOT contain and are NOT manufactured with any of the Class I or 11 ozone-depleting substances listed under the United States Clean Air Act Of 1990.

Hazardous Materials Identification System - HMIS:

1 Health Hazard: Mild skin irritant.
2 Flammability: Flashpoint above 100 F..
0 Reactivity: Stable.
G Protection: Safety glasses, gloves, & respirator recommended.

SECTION 3: PHYSICAL DATA

Appearance: Light Green, Green, Blue Green.
Odor : Orange aroma.
Flashpoint (cc): 113 F.
Boiling Point : 310 F.
Evaporation Rate: Medium/Slow
Water Solubility: Insoluble
Vapor Pressure (20 C): 2mmHg
Percent Volatile by Volume: 2%-40%

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

Flash Point (cc): 113 F,
Flammable Limits: LEL = 0.7% UEL = 6.1 %
Extinguishing Media: Carbon dioxide, foam or dry chemical
Special Fire Fighting Procedures: SCEA recommended. Smother to exclude air. Do not use water. Handle as an oil fire.
Unusual Fire and Explosive Hazards: Combustible liquid. Keep away from heat, sparks, and open flame. Guard against spontaneous combustion of improperly discarded oily rags.
Incompatibility (Materials to avoid): Strong oxidizing agents and acidic agents including acidic clays, peroxides, halogens, vinyl chloride, and iodine pentafluoride.
Hazardous Decomposition Materials: Smoke may be acrid and fume irritating. Burning generates Co, CO2, and smoke.
Hazardous Polymerization: None described
Conditions to Avoid for Polymerization: Polymerization catalysts such as aluminum chloride and acidic clays.
Stability Considerations: Stable
Conditions to Avoid for Stability: Avoid temperatures over 113 F.

SECTION 5: HEALTH HAZARD DATA

Health Hazards (Acute and Chronic): Product is harmful if swallowed. Ingestion may cause vomiting, headache, and other medical problems. May be irritating to skin and eyes. Skin contact may cause slight redness. Contains a potential skin sensitizer.

Eye contact can cause moderate to high irritation. Inhalation can cause nose, throat, and respiratory tract irritation, coughing and headache.

Prolonged or repeated exposure can cause drying, defatting, and dermatitis of skin.

Signs and Symptoms of Exposure: Product may be irritating to the skin, eyes, nose and throat.

Medical Conditions Generally Aggravated by Exposure: Persons with allergies or pre-existing skin conditions should avoid contact with this product.

Emergency & First Aid Procedures:

Eyes: Remove contact lenses at once. Flush with water for at least 15 minutes. If irritation persists, seek medical attention.

Skin: Wash affected area with copious amounts of soap and water. If irritation develops, seek medical attention.

Ingestion: Seek medical attention immediately. Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Do not leave victim unattended.

Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing.

Inhalation: If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist, seek medical attention

SECTION 6: TOXICOLOGICAL DATA

Acute Eye Irritation: Eye irritation, rabbit. Severely irritating.

Acute Skin Irritation: Skin irritation, rabbit. Severely irritating. Acute Dermal Toxicity: LD50 - >5 g/kg, rabbit.

Acute Respiratory Irritation: No test data found for product.

Acute Inhalation Toxicity: No test data found for product.

Acute Oral Toxicity: LD50 - >5 g/kg, rat.

Chronic Toxicity: This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIS to be "probable" or "suspected" human carcinogens.

Ecotoxicological Information: No test data found for product.

SECTION 7 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Material is Released or Spilled: Use protective gloves to avoid skin contact. Small spills can be wiped up. Large spills should be absorbed by dirt, sand, or other suitable absorbents for disposal. Do not hose spills down drains, sewers, or waterways. Move leaking containers to well ventilated area. No smoking. Eliminate any source of ignition. Minimize inhalation. Use OSHA approved respiratory protection device.

CAUTION: Slippery on floor.

Waste Disposal Method: Incinerate or Dispose in Accordance with Local, State, and Federal Regulations. Taking regulations into consideration, waste may be incinerated or handled through EPA, spill control plan via land fill or dilution.

SECTION 8: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not normally required. If vapor concentration becomes high, use OSHA approved respirators.

Ventilation: Local exhaust should be adequate. Mechanical ventilation otherwise recommended if necessary.

Eye Protection: Safety goggles or glasses suggested.

Skin Protection: Oil resistant gloves.

Other Protective Equipment: Oil resistant apron, emergency eye wash and shower stations.

Appropriate Hygienic Practices: Wash thoroughly after handling. Launder contaminated clothing before re-use.

SECTION 9: SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing: Usual Precautions for combustible liquids.

Handling and Storage Precautions: Store in sprinkled warehouse.

Avoid contact with incompatible chemicals listed in Section 4.

Store in tightly sealed, full containers at temperatures below 70 F. Partially filled drum containers should be blanketed with nitrogen.

Other Precautions: Product may expand slightly in storage causing pressure to build in container. Open container carefully if product appears to be under pressure. Drum lining may occasionally chip and fall to bottom of container after long storage or excessive handling. As a precaution, pour liquid through filter/strainer to catch small pieces of liner before blending or repackaging. Commercially clean empty containers before re-use.

CAUTION: Do not weld or cut empty containers (Vapors May Ignite).

SECTION 10: REGULATORY INFORMATION

Inventory: United States (TSCA) **Status:** Listed on the inventory. Canada (DSL)

SECTION 11: TRANSPORTATION INFORMATION

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

TDG Status: Hazardous

Hazardous INO Status: Hazardous

Hazardous IATA Status: Hazardous

SHIPPING CLASSIFICATION:

Proper Shipping Name: TERPENE HYDROCARBONS, N.O.S Hazard Class: 3

Identification No.: UN2319

Packing Group: III

DOT Label/Placard (exemption 173.150(f) applies): Highway/Rail per requirements for combustible liquids Air/Shipper requirements for flammable liquids

SECTION 12: ADDITIONAL INFORMATION

National Fire Protection Association Hazard Rating: NFPA(R):

1 Health Hazard: Mild

2 Flammability: Moderate

0 Reactivity: Minimal

Key Legend Information:

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

FOR ADDITIONAL INFORMATION CONTACT

DUMONDE DESIGN GROUP INC: (425)-806-0948

HGNR INC: (Distributor) (503)-285-2322

DUMONDE DESIGN GROUP INC.

BUSINESS HOURS: PACIFIC TIME.

PRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE INFORMATION PROVIDED HEREIN, AND SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. **

DO NOT USE INGREDIENT INFORMATION AND/OR INGREDIENT PERCENTAGES IN THIS MSDS AND/OR A CERTIFICATE OF ANALYSIS. THESE CAN BE OBTAINED FROM YOUR LOCAL DUMONDE DESIGN GROUP INC. USA SALES OFFICE.

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, DUMONDE DESIGN GROUP INC. MAKES NO CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON, INFORMATION CONTAINED HEREIN.

THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.

END OF MSDS.